


# CHRONOFLASH® 40

NF E 52081 - E 52082

DIN 15018 H1 B3 K3





# CADILLON

**Cotes**

**Abmessungen**

**Dimensions**

**Dimensiones**



**CHRONOFASH 40**


S/D		12,5	12,9	14,4	15	16	18	20	22	24	26	28	30	33	35	38	40
	40 m	4500	4350	3750	3570	3290	2830	2480	2190	1960	1770	1610	1470	1300	1200	1070	1000
	35 m		4500	3890	3700	3410	2930	2570	2280	2040	1840	1670	1530	1350	1250		
	30 m			4500	4280	3950	3410	2990	2660	2380	2160	1960	1800				kg

**Courbes de charges**

**Lastkurven**

**Load curves**

**Curvas de cargas**



ENCOMBREMENT AU MONTAGE  
SPACE REQUIREMENT

ABMESSUNGEN  
ENCOMBRAMIENTO

<b>CHRONOFASH 40</b>		m/mn *	KW	ch PS - HP *	kg
	I	3	4	5,5	4500
	II	12,5	11	15	4500
	III	25	15	20	3000
	I	6	4	5,5	2250
	II	25	11	15	2250
	III	50	15	20	1500
		0,15 > 0,4 > 0,8	5	6,8	
	I	22,5	4	5,5	
	II	45			
		0 > > 25	2 x 2,2	2 x 3	
			5,5	7,5	



V	380	450
Hz	50	60
kVA	25	30

- GROUPE ELECTROGENE  
NOUS CONSULTER  
- STROMAGGREGAT  
AUF ANFRAGE  
- GENERATOR SET  
CONSULT US  
- GRUPO ELECTROGENO  
CONSULTARNOS

\*





Multiplier par 1,2 pour 450 V  
Multiplizieren bei 1,2 für 450 V  
Multiply by 1,2 for 450 V  
Multiplicar por 1,2 para 450 V

## Versions sur chassis

## Unterwagen

## Undercarriage

## Chasis



Transport

Transport

Transport

Transporte



# CADILLON

CADILLON INDUSTRIE : 8, rue de Pretin - B.P. 25 - F 71120 CHAROLLES - FRANCE  
Tél. 85 24 09 34 - Télex 800 418 - Télécopie 85 88 34 10

Filiale - Subsidiary - Filiale - Sucursal :

CADILLON BAUMASCHINEN G.m.b.h. : Am Dornbusch 4 - D 6108 WEITERSTADT  
R.F.A. - Tél. 19 49 6151 85041 ou 85042 ou 85043  
Télécopie 19 49 6151 82535 - Telex 041419223 +

CADILLON U.S.A. Inc. : 5777 West Century Boulevard - Suite 520 - LOS ANGELES  
CALIFORNIA 90045 - Tél. 101 212 014 0040 - Télécopie 101 212 410 1017